

2025/26 Product Catalogue

DYNAMIC™
DOOR SERVICE

Setting new
standards of
reliability

4-STEP

**Colour Room
Guide Inside**

Page 50



Garage Doors | Openers | Service



Scan the QR
code to view our
brochure online
with the latest
updates



Contents

Why choose Dynamic Door Service.....	4
Connected Convenience: Smart Home Enhancers.....	8
The Custom Collection	10
Insert Panel Aluminium Frame Selection.....	12
Face Fixed Aluminium Frame Selection.....	14
Batten Sectional Garage Door.....	17
Flush Mount Selection.....	18
Colorbond® Sectional Door.....	20
Colorbond® Roller Door.....	22
UniCote® LUX Sectional Door	24
UniCote® LUX Roller Door.....	26
Matt Doors	28
Savannah Sectional Doors.....	30
Tilt Doors	32
Louvre Doors	34
The Timber Look Series.....	36
DecoWood® Timber Selection.....	38
Colorbond® Timber Selection	40
UniCote® LUX Timbers of the World Series.....	42
Natural Timber Selection.....	44
Wind Rated Doors.....	46
Insulation for your Sectional Garage Door.....	48
Colour Room Guide	50
The Dynamic Story.....	62

NOTE: The colours shown are a guide only. The limitations of printing processes make extremely accurate matches impossible. We strongly recommend comparing your choice with actual samples. Additionally, Dynamic Door Service reserves the right to vary or delete colours without notice.*

Follow our **4-step** Colour Room Guide for all your standard and non-standard options:



Step One:

51 Select your Door



Step Two:

52 Create your Design



Step Three:

54 Select your Colour



Step Four:

57 Select your Opener
and Home Enhancer's

Icon Guide:



Sectional
Door



Aluminium
Frame Door



Roller
Door



Tilt
Door



Dynamic Door Service Garage Door Visualiser



Find the style that's right for you
and see how it looks on your home.
Upload a photo, try different
colours and designs, then save or
send your favourite.

Scan the QR code to get started.



**reasons to
choose
Dynamic**

**Opposite: Custom Collection
Face Fixed Aluminium Frame
Garage Door with white
aluminium composite panels.**



Dynamic Door Service Garage Door Visualiser



Find the style that's right for you and see how it looks on your home. Upload a photo, try different colours and designs, then save or send your favourite.

Scan the QR code to get started.



Strong and durable, our garage doors are made in Australia for the harsh Australian conditions.



Dynamic supports Australian jobs which is why our garage doors are predominately made with the highest quality Australian BlueScope® steel.

trusted for

15
years

Dynamic disrupted the industry with its short lead times, product and service. Dynamic have been trusted by the best in the business for over 15 years.



Award-winning FingerProof™ Safety design is a standard feature for our Steel-Line Sectional Doors.




Every garage door is custom made and manufactured to your requirements. It's one of the reasons the majority of Australia's major builders choose our Steel-Line garage doors.



Dynamic offers a full range of Steel-Line accessories to suit your personal needs. View our range from page 57.



Above: Custom Batten Sectional Door vertically clad with Ironbark DecoWood® Battens.




Dynamic Door Service is a leading garage door company specialising in quality garage doors uniquely designed and manufactured to add real value to every home. We have been installing and servicing garage doors and operators for over 15 years.


We are the largest supplier of Steel-Line Garage Doors in Australia. Our manufacturers have been selected on their capacity to meet and exceed our requirements for superior craftsmanship, reliability and a single-minded focus on excellence in customer service.

Browse our stunning product range and be inspired!

DEFY THE ODDS



Greater access for family and friends no matter where you are in the world.



Protect your car and valuable items stored in your garage.



Ensure your family, friends and pets are safe.

Scan the QR code to view our
Home Enhancers and take
control of your garage door.



Control your door with home enhancers
that provide **easy operation, optimum
performance** and **peace of mind**.



Wi-Fi / E-Door Connect

Simply connect your
Wi-Fi, download the app
and control your door from
anywhere in the world.



Smart Camera

Add video services to your
garage and monitor your
garage from anywhere in
the world for free.



Insulation

Insulate your garage door
and elevate your homes
energy efficiency, comfort
and overall value.



Battery Backup

Provides an energy supply
in the event of a power
outage allowing you to still
operate your garage door.



Wireless or Wired PE Beams

Designed to detect an
obstruction while the door is
closing. Protect your family
and car from contact.



Wireless or Wired E-Lock

When the door is completely
closed, the electronic lock
automatically locks.




Brush Seals

A tough and durable
Brush Seal can help better
protect your garage and
items from the elements.



Additional Handsets

Additional handsets are
a must have for every
set of keys in the house.





You create it, we make it.



The Custom Collection

Your garage door could be the biggest design feature on your home's exterior, so make sure it's also the most striking. There's a Steel-Line product to suit all designs and architectural styles.

Steel-Line's innovative Custom Collection of garage doors offers over a hundred different options for you to choose from.

Let your imagination run wild with our Face Fixed, Insert Panel and Flush Mount Selections. Simply match your garage door to the facade of your home and the style that will best suit your aesthetic.

Above: Custom Collection Aluminium Slat Sectional Door in Colorbond® Dover White™.

Insert Panel Aluminium Frame Selection

Our Steel-Line Aluminium Frame Doors offer a stunning range of stylish FingerProof™ garage doors. You can choose from a wide selection of composite inserts or any compatible custom material to match with your design. Create the look that you want to customise your building to suit your surroundings.

**Opposite: Custom Collection Insert Panel
Aluminium Frame Garage Door in Night Sky and
aluminium composite inserts in Dark Grey.**



FingerProof™
Safety Feature



Aluminium
Frame Door




FingerProof™
design




Over 100
combinations

Configurations




1 FULL PANEL ACROSS



2 EQUAL HALVES



3 EQUAL THIRDS



QUARTER - HALF - QUARTER




4 EQUAL SECTIONS



5 EQUAL FIFTHS

Standard Frame Colours



Dover White™



Surfmist®



Southerly®



Shale Grey™




Bluegum®



Windspray®



Basalt®



Classic Cream™



Paperbark®



Evening Haze®



Dune®



Gully®



Jasper®



Manor Red®



Wallaby®



Woodland Grey®



Pale Eucalypt®



Cottage Green®




Ironstone®




Deep Ocean®



Night Sky®



Monument®



Silver Kinetic Pearl®



Citi Pearl


NOTE: Refer to page 56 to view our secondary Colorbond® colours.

Standard Insert Panel Options

| Polycarbonate Multiwall



Clear



White



Silver Mist



Light Bronze



Grey

| Aluminium Composite Panel



Metallic Silver



Brushed Silver



Champagne



Medium Bronze



Dark Grey

| Matt Finish



Black



White

| Acrylic




White Gloss
(AN-402)



Opal Gloss
(AN-445)



White (AN-422)



Light Grey Tint
(AN-2332)



Dark Grey Tint
(AN-512)

| Other



Western Red
Cedar



Amplimesh



Perf Mesh Infill




Bar Grille Tube #

NOTE: The number of panels is determined by the height of the opening <2440mm (H) = 4 panels; >2450mm (H) = 5 panels. The maximum width of the "1 section" door is 2400mm. The maximum width of the "2 sections" door is 4800mm. Outside of these configurations, check with your Product Consultant on price and availability.


The maximum width of the "1 section" Bar Grille Tube door is 1200mm. The maximum width of the "2 section" Bar Grille Tube door is 2400mm.




Configurations




1 FULL PANEL ACROSS




2 EQUAL HALVES




3 EQUAL THIRDS



QUARTER - HALF - QUARTER



4 EQUAL SECTIONS



5 EQUAL FIFTHS



Face Fixed Aluminium Frame Selection

The face fixed design is laying the aluminium composite panels over the frame for that architectural look. The aluminium composite panels are the premier choice for an exterior cladding that will maximise the beauty of the structure while providing a sustainable product to prolong the life of the building.

Despite being conveniently lightweight, these aluminium composite panels certainly aren't pushovers. They have impressive durability and strength, making them well suited to bearing the tough conditions of the Australian climate.

Our face fixed design is lightweight, weather-resistant, has a maximum wind rating of C3 for wind regions C and D in Australia.

Opposite: Custom Collection Face Fixed Aluminium Frame Garage Door with aluminium composite panel in Metallic Silver.

Standard Frame Colours

Dover White™	Surfmist®	Southerly®	Shale Grey™	Bluegum®	Windspray®	Basalt®	Classic Cream™
Paperbark®	Evening Haze®	Dune®	Gully®	Jasper®	Manor Red®	Wallaby®	Woodland Grey®
Pale Eucalypt®	Cottage Green®	Ironstone®	Deep Ocean®	Night Sky®	Monument®	Silver Kinetic Pearl®	Citi Pearl®

NOTE: Refer to page 56 to view our secondary Colorbond® colours.



Aluminium
Frame Door



Long term
durability



Over 100
combinations

Standard Face Fixed Options

| Aluminium Composite Panel



| Matt Finish

| Other



NOTE: The number of panels is determined by the height of the opening <2440mm (H) = 4 panels; >2450mm (H) = 5 panels.
The maximum width of the "1 section" door is 2400mm. The maximum width of the "2 sections" door is 4800mm. Outside of these configurations, check with your Product Consultant on price and availability.



Custom Collection Sectional Door in Barn Style Western Red Cedar




DecoWood® Aluminium horizontal Battens in Curly Birch

Batten Sectional Garage Door

Batten Sectional Doors are a modern, functional and aesthetically appealing type of garage door designed with horizontal or vertical battens (or “slats”) that create a distinctive, contemporary look. These doors are commonly used for both residential and commercial properties, combining the benefits of a Sectional Door system with the stylish and sleek appearance of batten cladding.

The slats or battens can be made from various materials, including timber or aluminum, and are typically spaced to create a visually appealing pattern. With various materials and colour options available, you can create a door that complements your specific design preferences, from natural woodgrain finishes to solid, neutral colours.



Sectional
Door



Low
maintenance




Custom Flush Mount Sectional Door with Knotwood cladding

Flush Mount Selection


Our Flush Mount Garage Door blends in your façade with the cladding of your choice to create a seamless appearance to the front of your home. Flush finish means the surface of the garage door and the external wall surrounding it are on the same plane.

The Flush Mount Garage Doors are suitable to take a total weight of up to 175kg for Tilt Doors and 250kg for Sectional Doors. They can be clad with the building's exterior materials, including timbers, composite timbers, metal, aluminium composite panel and acrylic. The integrated cladding materials make the door appear to be part of the building's wall system. Our Flush Mount Doors are perfect for an architecturally designed building giving the exterior cladding a continuous look and essentially making the door invisible.

NOTE: All Flush Mount Garage Doors are made to order. Select a cladding material from our range or order as frame only and get your builder to clad on site to match the rest of your façade for that invisible look.



Scan Me
to see a video of
this door.



Custom Flush Mount Tilt Door with Timber cladding



Tilt
Door



Sectional
Door




Low
maintenance




Flatline Sectional Garage Door in Colorbond® Surfmist®


Profile Options




Slimline




Flatline



Glacier



Ranch



Heritage

Window Options



RUSTON HERITAGE



RUSTON RANCH



SUNRAY X 8 HERITAGE



SUNRAY X 4 RANCH



SUNRAY 2 X 4 HERITAGE



SUNRAY 2 X 2 RANCH



SHERWOOD 4 X 2 HERITAGE



SHERWOOD RANCH



STOCKTON HERITAGE



STOCKTON RANCH



VENTILATION



STOCKFORD RANCH



PLAIN HERITAGE



PLAIN RANCH

NOTE: Garage door windows are not suitable for cyclonic areas.



Colorbond® Sectional Doors

Enhance the exterior of your home with a garage door that will complement any style of architecture. Our Steel-Line range of garage door styles to suit the unique characteristics of your home.

Sectional Garage Doors have exceptional weather-resistant qualities. They are resilient against normal wind and dust conditions and come with heavy duty aluminium bottom rails containing PVC weather seals, so you can trust that the precious contents of your garage are protected at all times.

FingerProof™
safety standard.

**Builders
Tip**

Colour Options

| Colorbond® Standard Colours

Dover White™	Surfmist®*	Southerly®	Shale Grey™	Bluegum®	Windspray®	Basalt®*	Classic Cream™
Paperbark®	Evening Haze®	Dune®	Gully®	Jasper®	Manor Red®	Wallaby®	Woodland Grey®
Pale Eucalypt®	Cottage Green®	Ironstone®	Deep Ocean®	Night Sky®	Monument®*		

| Colorbond® Matt Range

Surfmist®*	Bluegum®*	Basalt®*	Monument®*

| Timber Selection*

Classic Cedar®	Blushed Teak™	Caoba®	Ashen Black Oak™

**NEW
Range** | Sectional N2 and N3
Rated Doors available.

NOTE: Woodgrain finish is standard for standard colour, timber selection Sectional Doors. * Smooth finish is not available.
Refer to page 56 to view our secondary Colorbond® colours.



Sectional
Door



Quality Aus
steel



Fingerproof
design

Series

"A" series residential door

(Range from 750mm to 3430mm in width)

"A" Series Door Heights
Up to and including 1200mm
Up to and including 2100mm
Up to and including 2200mm
Up to and including 2400mm
Up to and including 2600mm
Up to and including 2700mm
Up to and including 3000mm

"AA" series residential door*

(Range from 3435mm to 5500mm in width)

"AA" Series Door Heights
Up to and including 2200mm
Up to and including 2400mm
Up to and including 2600mm
Up to and including 2700mm
Up to and including 3000mm

"B" series light industrial door*

(Range from 2855mm to 5500mm in width)

"B" Series Door Heights
Up to and including 3300mm
Up to and including 3600mm
Up to and including 4200mm
Up to and including 4800mm
Up to and including 5100mm

* Now supplied with Aluminium guides as standard

Colour Options

| Colorbond® Standard Colours

				
Dover White™	Surfmist®	Southerly®	Shale Grey™	Bluegum®
				
Windspray®	Basalt®	Classic Cream™	Paperbark®	Evening Haze®
				
Dune®	Gully®	Jasper®	Manor Red®	Wallaby®
				
Woodland Grey®	Pale Eucalypt®	Cottage Green®	Ironstone®	Deep Ocean®
		Other		
Night Sky®	Monument®			Zincalume®

| Colorbond® Matt Range

		
Basalt®	Bluegum®	Monument®

NOTE:

Non-standard colours at non-standard pricing.
Refer to page 56 to view our secondary Colorbond® colours.





Colorbond® Roller Doors

Our range of Colorbond® colours and smooth operation, Steel-Line Roller Doors become true design features of your home.

Manufactured with heavy duty bottom rails containing durable PVC weather seals, a Steel-Line Roller Door provides your precious garage contents with excellent protection from the harsh elements.

Our Roller Doors revolve on precision-made drum wheels, and are counter-balanced using helical coil springs to ensure perfect balance and operation. All our springs are heat treated and tempered to give years of trouble free operation.

"AA" series residential door and "B" series light industrial doors are now supplied with Aluminium guides as standard.

Aluminium guide benefits include:

- Lightweight
- Aesthetically appealing
- Smooth and quiet operation
- Effortless installation

The new Aluminium guide can be fitted with an optional brush seal, adding a level of protection against smoke, draughts, salt, light, dust, insects and bushfire embers.

Opposite: Roller Door in Colorbond® Monument®.

Roller Doors offer a combination of strength and functionality.

Builders
Tip



Roller
Door



Custom fit



Ventilation
options


UniCote® LUX

Sectional Doors


UniCote® LUX is an imported pre-painted steel product designed to suit Australian high-end architecture. Drawing inspiration from around the world, feel inspired by the range of unique patterns and finishes available in this range.

UniCote® LUX is the future of Australian pre-painted steel design. The range is manufactured and tested to meet all weather conditions, resistant to chipping, peeling or cracking. UniCote® LUX Doors are made from 0.7 G300 substrate which is durable, non combustible and meets Australian standards: AS/NZS 1365:1996 1, AS 1397:2011 and ISO 9001:2015.


Profile Options



Slimline



Flatline



Glacier

Colour Options

| Architectural Series



Silver Quartz





Pentagon *



Metal Stone *



Dark Metal Stone * Zinc Graphite *



Weathered Iron



Spectrum



Saffiano

NOTE:

Available in smooth or textured finish only. Please see product samples.

*Available while stocks last

| Timbers of the World Series



Brazilian Walnut



Ashwood



Gympie
Messmate



Red Oak



Kapur



African Blackwood

NOTE:

- The colours and patterns shown are provided as a guide only. Whilst we endeavour to get as close as possible, the limitations of printing processes make extremely accurate matches impossible. We strongly recommend comparing your choice with actual samples and discussing with your product consultant. Additionally, Dynamic Door Service reserves the right to vary or delete colours without notice.
- Ashwood has a smooth finish whilst other "Timbers of the World" series have a slightly textured finish. Please see product samples.



Sectional
Door



Low
maintenance



15 colours to
choose from



UniCote® LUX Slimline profile Sectional Garage Door in Zinc Graphite



Series

"A" series residential door

(Range from 750mm to 3430mm in width)

"A" Series Door Heights
Up to and including 1200mm
Up to and including 2100mm
Up to and including 2200mm
Up to and including 2400mm
Up to and including 2600mm
Up to and including 2700mm
Up to and including 3000mm

"AA" series residential door*

(Range from 3435mm to 5500mm in width)

"AA" Series Door Heights
Up to and including 2200mm
Up to and including 2400mm
Up to and including 2600mm
Up to and including 2700mm
Up to and including 3000mm

"B" series light industrial door*

(Range from 2855mm to 5500mm in width)

"B" Series Door Heights
Up to and including 3300mm
Up to and including 3600mm
Up to and including 4200mm
Up to and including 4800mm
Up to and including 5100mm

* Now supplied with Aluminium guides as standard



UniCote® LUX

Roller Doors

The UniCote® LUX Roller Doors are made from an imported pre-painted steel product designed to suit Australian high-end architecture. Combining the world's best coil coating technology with rigorous testing to Australian standards, it meets all weather conditions, resistant to chipping, peeling or cracking.

"AA" series residential door and "B" series light industrial doors are now supplied with Aluminium guides as standard.

Aluminium guide benefits include:

- Lightweight
- Aesthetically appealing
- Smooth and quiet operation
- Effortless installation

The new Aluminium guide can be fitted with an optional brush seal, adding a level of protection against smoke, draughts, salt, light, dust, insects and bushfire embers.

Opposite: Roller Door in UniCote® LUX Ashwood.

Colour Options

| Timbers of the World Series



Brazilian Walnut



Ashwood



African Blackwood

| Architectural Series



Weathered Iron

NOTE:

- The colours and patterns shown are provided as a guide only. Whilst we endeavour to get as close as possible, the limitations of printing processes make extremely accurate matches impossible. We strongly recommend comparing your choice with actual samples and discussing with your product consultant. Additionally, Dynamic Door Service reserves the right to vary or delete colours without notice.
- Ashwood has a smooth finish whilst other "Timbers of the World" series have a slightly textured finish. Please see product samples.



Roller Door



Low maintenance



Strong and durable

Matt Doors


The Matt Look Garage Door is made from BlueScope® steel, which allows you to make stylish and defining design choices for your home.

Choose from six colours: Surfmist®, Bluegum®, Shale Grey™, Dune®, Basalt® and Monument® to make your design statement.


Sectional Profile Options




Slimline




Flatline



Glacier




Ranch



Heritage

NOTE: Also available in a Roller Door.

Colorbond® Colour Options



Surfmist® *



Basalt® **



Monument® **



Bluegum® **

Other Colour Options



Dune® *



Shale Grey™ *

NOTE: * Available in Colorbond® Sectional Door
Available in Colorbond® Roller Door

Matt Doors give your project a more subtle look.



Sectional Door



Roller Door



Suitable for coastal living





Savannah Flatline Sectional Garage Door in Monument® Matt look




Savannah Flatline Sectional Door in Powdercoat Duralloy Range


Savannah Sectional Doors

Stylish, strong and durable. Steel-Line's innovative Savannah smooth and powdercoat custom Sectional Door range are made from 0.7 G300 substrate which is durable, non combustible and meets Australian standards: AS/NZS 1365:1996 1, AS 1397:2011 and ISO 9001:2015.

Profile Options



Colour Options



| Matt Range



| Colorbond® classic



Note: Refer to page 56 to view our secondary Colorbond® colours.



| More than 70 Dulux colours also available for Sectional Doors only. Please enquire about availability.

NOTE:

- The colours and patterns shown are provided as a guide only. Whilst we endeavour to get as close as possible, the limitations of printing processes make extremely accurate matches impossible. We strongly recommend comparing your choice with actual samples and discussing with your product consultant. Additionally, Dynamic Door Service reserves the right to vary or delete colours without notice.
- Maximum width 5600mm.



Sectional Door



Made to last



Strong and durable

Tilt Doors

Not enough room in your garage for a Sectional or Roller Door? A lot of older garages can be quite limited in space.

Our Steel-Line Tilt Garage Doors offer the perfect solution for smaller garages or spaces with restricted side or head room. Manufactured to fit most garage openings and easily installed, the Tilt Garage Door offers safety and convenience in a wide range of colours and materials.

The choices of material is almost as varied as your imagination allows and commonly includes plywood and moulding, K-panel, Colorbond®, Western Red Cedar, aluminium composite panels, copper sheeting, clear or textured glass/acrylic, and many other types of cladding.

NOTE: Not all options available in all markets. Please refer to your Product Consultant for our wide variety of design options in your area.

Best solution when you have limited headroom in your garage.

Builders
Tip



Manufactured
for harsh
conditions



Tilt Garage Door finished in Shiplap cladding



Colour Options

							
Dover White™	Surfmist®	Southerly®	Shale Grey™	Bluegum®	Windspray®	Basalt®	Classic Cream™
							
Paperbark®	Evening Haze®	Dune®	Gully®	Jasper®	Manor Red®	Wallaby®	Woodland Grey®
							
Pale Eucalypt®	Cottage Green®	Ironstone®	Deep Ocean®	Night Sky®	Monument®		

NOTE: Refer to page 56 to view our secondary Colorbond® colours.



Louvre Doors

Our Steel-Line Aluminium Louvre Sectional Garage Door has been developed to give a high level of airflow and natural light transmission.

Steel-Line sets a new benchmark for Louvre Garage Doors. Designed and manufactured in Australia, our Louvre Garage Door is extremely strong with a modern architectural look. It's ability to provide privacy for what is inside and still allow a minimum 22% ventilation, makes this the door of choice for many modern developments.

Steel-Line Louvre Garage Doors have been engineered to the highest standard and tested at the JCU Cyclone Testing Station against the wind loading requirements of AS/NZS 4505-2012 (also available for C2 & C3).



Louvre Garage Door in Dulux Classic Pearl White Gloss colour

Louvre Garage Doors provide ventilation while maintaining high level of privacy.

**Builders
Tip**



Aluminium
Frame Door



Independently
tested



The Timber Look Series

Your garage door is often the largest and most prominent frontal feature of your home. For this reason, choosing the right garage door is a crucial decision that can significantly influence the value and aesthetics of your most prized asset.

If you like the natural look and warmth that wood conveys, we can offer you Natural Timber, DecoWood®, Colorbond® and UniCote® LUX Timbers of the World.

Each offering has different benefits depending on your requirements, while providing the warm and homely charm that a timber look provides.

Our impressive assortment of beautifully crafted options offers a classic and timeless style that evokes a feeling of tradition with a modern twist.



The above is one of our Natural Timber Garage Doors with V joint profile.

You dream it, we create it.




Timber Selection


The DecoWood® Garage Door is ideal for coastal properties and bushfire prone areas with its marine grade powder coating. It is made from BlueScope® steel, which is an incredibly versatile material, preferred by builders and designers alike for its strength, durability, flexibility, lightness and corrosion-resistance.

Unlike timber, DecoWood® Garage Doors don't warp, shrink, splinter or rot. They require little maintenance, and they are also completely impervious to termites.


Profile Options




Slimline




Flatline



Glacier



Ranch



Heritage

Colour Options



Curly Birch



American Oak



Weathered Timber



Silky Oak



Casuarina



Kwila



Chestnut



Bush Cherry



Ironbark



Western Red Cedar



Jarrah



Merbau



Wenge

NOTE: The colours and patterns shown are provided as a guide only. Whilst we endeavour to get as close as possible, the limitations of printing processes make extremely accurate matches impossible. We strongly recommend comparing your choice with actual samples and discussing with your product consultant. Additionally, Dynamic Door Service reserves the right to vary or delete colours without notice.



Sectional
Door



Low
maintenance



Marine
grade





Scan Me

to see a video of a
DecoWood® door.



Slimline Sectional Garage Door in DecoWood® Silky Oak

Colorbond®

Timber Selection

Steel-Line's Colorbond® Timber Selection offers the strength of a Colorbond® steel door with the style of the Colorbond® colours.

A garage door made from Colorbond® steel will also give you lifelong performance. Thanks to the five-layer design of Colorbond® steel, it provides corrosion resistance and a durable baked on paint finish, making it look great and easy to maintain.

With the Colorbond® Timber colours, Colorbond® steel provides an elegant twist providing even greater design opportunities for your home.

Compliments your home and gives your garage door a natural, timber look finish without the price tag.

**Builders
Tip**



Sectional
Door



Low
maintenance




Strong and
durable




Slimline Sectional Garage Door in Classic Cedar®


Profile Options




Slimline




Flatline



Glacier



Ranch



Heritage

Colorbond® Colour Options



Classic Cedar®



Blushed Teak™



Caoba®



Ashen Black Oak™

NOTE: The colours and patterns shown are provided as a guide only. Whilst we endeavour to get as close as possible, the limitations of printing processes make extremely accurate matches impossible. We strongly recommend comparing your choice with actual samples and discussing with your product consultant. Additionally, Dynamic Door Service reserves the right to vary or delete colours without notice.

UniCote® LUX

Timbers of the World Series

The UniCote® LUX – Timbers of the World Series draws inspiration from all over the globe bringing the look and feel of the forest to your front door.

UniCote® LUX offers a range of timber finishes to suit your next project. With the strength of steel, UniCote® LUX products are manufactured and tested to meet all weather conditions to offer you a long lasting product and peace of mind.

UniCote® LUX paint systems are proven to provide resistance to chipping, peeling or cracking, offering excellent colour and gloss retention. UniCote® LUX Doors are made from 0.7 G300 substrate which is durable, non combustible and meets Australian standards: AS/NZS 1365:1996 1, AS 1397:2011 and ISO 9001:2015.



Sectional
Door



Low
maintenance




Strong and
durable




Slimline Sectional Garage Door in UniCote® LUX Brazilian Walnut


Profile Options



Slimline



Flatline



Glacier

Colour Options



Brazilian Walnut



Ashwood



Gympie Messmate



Red Oak



Kapur



African Blackwood

NOTE:

- The colours and patterns shown are provided as a guide only. Whilst we endeavour to get as close as possible, the limitations of printing processes make extremely accurate matches impossible. We strongly recommend comparing your choice with actual samples and discussing with your product consultant. Additionally, Dynamic Door Service reserves the right to vary or delete colours without notice.
- Ashwood has a smooth finish whilst other "Timbers of the World" series have a slightly textured finish. Please see product samples.

Natural Timber Selection

Stand out from the crowd with a door as unique as you.

As our Timber Garage Doors are custom designed and manufactured, you can rest assured we will create a product to meet your dimensions and requirements. No matter what shape or size your garage is, a Timber Door can be made to suit it – and it will look fantastic.

And because this range is custom-built using natural products, you can look forward to having a truly one-of-a-kind garage door that has its own unique look and character.

The most popular timber used in this range is Western Red Cedar, a lightweight yet solid timber that looks equally beautiful on a renovated or new home being built.

Profile Options



V joint



Shiplap

Colour Options



Natural/No Stain



Pine



Light Oak



Teak



Dark Oak



Walnut



Aluminium
Frame Door



Tilt
Door



One of
a kind



Above: Sectional Garage Door with Western Red Cedar Cladding.



Wind Rated Doors

Stringently tested to meet wind load requirements.

Steel-Line Wind Rated Garage Doors have been engineered to the highest standard and tested against the wind loading requirements of AS/NZS 4505:2012.



Aluminium
Frame Door



Sectional
Door



Roller
Door

*not all doors compatible. Please refer to our wind rated brochures for each door type.



Wind Rated Slimline Sectional Garage Door in Colorbond® Surfmist

Strut-Lock™ Wind Rated Sectional Garage Doors

The Strut-Lock™ Garage Door is post free, incorporating the use of heavy duty struts, robust commercial hinges, top brackets in combination with a unique stile reinforcement to provide maximum resistance to forces exerted by cyclonic and high winds up to 5.5m (also available for C2 & up to N4).

Wind Rated Wind Brace Sectional Garage Doors

The Wind Brace design feature with removable steel wind brace post(s) is installed to the Sectional Garage Door once a cyclone warning is received. It takes about 2-5 minutes to install, and no tools are required. This feature can significantly enhance wind resistance up to C4 wind rating while still ensuring a smooth door operation (also available up to 6m for C2, C3, C4 & up to N6).

Wind Rated Roller Doors

The Wind Rated Roller Doors are designed to provide additional wind resistance in extreme weather conditions. The new Wind Rated Roller Doors have been designed to reduce noise and increase service life. Optimised to suit your requirements, the Wind Rated Roller Doors are suitable for homes, sheds, commercial and industrial warehouses in cyclonic and non-cyclonic areas (C2/N4 up to 5.5m).

Insulation for your Sectional Garage Door

If you're seeking to enhance energy efficiency throughout your home or transform your garage into a home office or gym, consider opting for Mammoth® Modern Insulation for your garage door to support your homes insulation envelope.

A smart choice for energy efficiency and comfort.

With increasing concern for energy conservation, an insulated garage door not only maintains warmth during winter and keeps things cool in summer it also reduces your energy expenses.



Benefits

- Safe and easy to install
- Will not cause irritation when touched
- Does not give off fumes or odours
- Backed by a 50 year manufacturer's warranty
- Assists in absorbing noise to create a quieter environment
- Made in New Zealand
- Eco friendly – made from recycled plastic bottles
- Fully recyclable product
- Fire retardant





Slimline Sectional Garage Door in Colorbond® Surfmist®

Before

normal garage door



After

insulated garage door



Sectional
Door



Made to last



Low
maintenance



COLOUR ROOM GUIDE

DESIGN YOU DOOR



Select a door



Create your design



Select a colour



Select your
opener and
home enhancer's



STEP ONE: SELECT A DOOR

Using the icon guide at the bottom of each page, select your door type.



SECTIONAL GARAGE DOORS



Make a bold impression with the attractive range of Steel-Line Sectional Garage Doors. Enhance the exterior of your home with a garage door that will complement any style of architecture with a range of door styles and colours to suit the unique characteristics of your home.



ROLLER DOORS



Easy to use and long lasting, our Roller Doors can be made to suit almost any size opening. Combine this with smooth operation and a range of Colorbond® and UniCote® LUX colours, they become true design features of your home, shed or business.



ALUMINIUM FRAME DOORS



Steel-Line's innovative Custom Collection range of garage doors offers over a hundred different garage doors for you to choose from. You simply look at the façade of your home and decide what style would best suit from our wide range of options.



TILT GARAGE DOORS



Is there a particular style or feature that you have not seen in the huge range of Steel-Line garage doors? You may have a specific design feature, profile, colour, style or material in mind, or some physical requirements which a standard garage door cannot satisfy. A Tilt or Custom Timber Garage Door could be your answer.



STEP TWO: CREATE YOUR DESIGN

Depending on the door type, now select a profile and/or series.

SECTIONAL GARAGE DOORS



| SELECT A PROFILE AND FINISH TYPE



Slimline (SF* or TF)



Flatline (SF* or TF)







Glacier (SF* or TF)



Ranch* (TF)



Heritage* (TF)



TF: Textured finish. SF: Smooth finish (Savannah). # Windows can only be fitted to Ranch or Heritage designs in standard Colorbond® colours.

* Smooth finish (Savannah) is available in the Smooth and Powdercoat range at premium pricing.

| ADD WINDOWS



Ruston Heritage



Sunray x 4 Ranch



Sherwood 4 x 4 Heritage



Stockton Ranch



Plain Heritage



Ruston Ranch



Sunray 2 x 4 Heritage



Sherwood Ranch



Stockton Heritage



Plain Ranch



Sunray x 8 Heritage



Sunray 2 x 2 Ranch



Ventilation



Stockford Ranch

ROLLER DOORS



| SELECT A SERIES

"A" series residential door

(Range from 750mm to 3430mm in width)

"A" Series Door Heights
Up to and including 1200mm
Up to and including 2100mm
Up to and including 2200mm
Up to and including 2400mm
Up to and including 2600mm
Up to and including 2700mm
Up to and including 3000mm

"AA" series residential door*

(Range from 3435mm to 5500mm in width)

"AA" Series Door Heights
Up to and including 2200mm
Up to and including 2400mm
Up to and including 2600mm
Up to and including 2700mm
Up to and including 3000mm

"B" series light industrial door*


(Range from 2855mm to 5500mm in width)

"B" Series Door Heights
Up to and including 3300mm
Up to and including 3600mm
Up to and including 4200mm
Up to and including 4800mm
Up to and including 5100mm


* Now supplied with Aluminium guides as standard

SELECT A PROFILE

Aluminium Framed Insert Series




1 FULL PANEL ACROSS




2 EQUAL HALVES




3 EQUAL THIRDS



QUARTER - HALF - QUARTER




4 EQUAL SECTIONS




5 EQUAL FIFTHS


Aluminium Face Fixed Series




1 FULL PANEL ACROSS




2 EQUAL HALVES




3 EQUAL THIRDS



QUARTER - HALF - QUARTER




4 EQUAL SECTIONS



5 EQUAL FIFTHS

Louvre Door



Natural Timber Door Profile



V JOINT



SHIPLAP

NOTE: The number of panels is determined by the height of the opening <2440mm (H) = 4 panels; >2450mm (H) = 5 panels.
The maximum width of the "1 section" door is 2400mm, if the inserts are aluminium composite panels, acrylic, Western Red Cedar or aluminium treadplate. The maximum width of the "2 sections" aluminium composite door is 4800mm. Outside of these configurations, check with your Product Consultant on price and availability.

Please refer to your product consultant as we offer unlimited designs for your Tilt Garage Door which can include:

- Plywood and Moulding
- Western Red Cedar
- Aluminium Composite Cladding
- Copper Sheeting
- K-Panel
- Colorbond®
- and much more



STEP THREE: SELECT A COLOUR

Select the colour to suit your look based on your door type.

SECTIONAL GARAGE DOORS



Curly Birch	American Oak	Weathered Timber	Silky Oak	Casuarina	Kwila	Chestnut	Bush Cherry
Ironbark	Western Red Cedar	Jarra	Merbau	Wenge			

Colorbond® Timber Selection

Classic Cedar®	Blushed Teak™	Caoba®	Ashen Black Oak™
----------------	---------------	--------	------------------

UniCote® LUX

Silver Quartz	Pentagon*	Metal Stone *	Dark Metal Stone *	Zinc Graphite *	Weathered Iron	Spectrum	Saffiano
Brazilian Walnut	Ashwood	Gympie Messmate	Red Oak *	Kapur	African Blackwood		

* Available while stocks last

Colorbond® Classic

Dover White™	Surfmist®	Southerly®	Shale Grey™	Bluegum®	Windspray®	Basalt®	Classic Cream™
Paperbark®	Evening Haze®	Dune®	Gully®	Jasper®	Manor Red®	Wallaby®	Woodland Grey®
Pale Eucalypt®	Cottage Green®	Ironstone®	Deep Ocean®	Night Sky®	Monument®		
Matt Range	Surfmist®	Shale Grey™	Dune®	Bluegum®	Basalt®	Monument®	

ROLLER DOORS



Colorbond Colours

Dover White™	Surfmist®	Southerly®	Shale Grey™	Bluegum®	Windspray®	Basalt®	Classic Cream™
Paperbark®	Evening Haze®	Dune®	Gully®	Jasper®	Manor Red®	Wallaby®	Woodland Grey®
Pale Eucalypt®	Cottage Green®	Ironstone®	Deep Ocean®	Night Sky®	Monument®		
Non-Standard Colour	Zincalume®	Colorbond Matt Range	Basalt®	Monument®	Bluegum®		

UniCote LUX

Weathered Iron	Brazilian Walnut	Ashwood	African Blackwood
----------------	------------------	---------	-------------------

ALUMINIUM FRAME DOORS



Frame Colours

Dover White™	Surfmist®	Southerly®	Shale Grey™	Bluegum®	Windspray®	Basalt®	Classic Cream™
Paperbark®	Evening Haze®	Dune®	Gully®	Jasper®	Manor Red®	Wallaby®	Woodland Grey®
Pale Eucalypt®	Cottage Green®	Ironstone®	Deep Ocean®	Night Sky®	Monument®		
Silver Kinetic Pearl®	Citi Pearl®						

Aluminium Framed Insert Options

----- Polycarbonate Multiwall

Clear	White	Silver Mist	Light Bronze	Grey
-------	-------	-------------	--------------	------

----- Aluminium Composite Panel (also available Face Fixed)

Metallic Silver	Brushed Silver	Champagne	Medium Bronze	Dark Grey	Matt Black	Matt White
-----------------	----------------	-----------	---------------	-----------	------------	------------

----- Acrylic

White Gloss (AN-402)	Opal Gloss (AN-445)	White (AN-422)
----------------------	---------------------	----------------

----- Other

Light Grey Tint (AN-2332)	Dark Grey Tint (AN-512)	Amplimesh	Perf Mesh Infill	Bar Grille Tube
---------------------------	-------------------------	-----------	------------------	-----------------

Amplimesh Perf Mesh Infill Bar Grille Tube

Aluminium Face Fixed Options




Western Red Cedar




Western Red Cedar Barn Style



Aluminium Battens



DecoWood® Battens



DecoWood® Battens

Natural Timber Door



Natural/No Stain



Pine



Light Oak



Teak



Dark Oak



Walnut

Colorbond® Secondary Colours



Sandbank®



Cove™



Bushland®



Wilderness®



Mangrove™



Terrain®



Headland®



Loft®

* Secondary colours are available in Sectional Doors, Roller Doors and Custom Collection Garage Door range.

TILT GARAGE DOORS



Please refer to your product consultant as we offer unlimited designs for your Tilt Garage Door which can include:

- Plywood and Moulding
- Western Red Cedar
- Aluminium Composite Cladding
- Copper Sheetting
- K-Panel
- Colorbond®
- and much more

NOTE: The colours and patterns shown in are provided as a guide only. Whilst we endeavour to get as close as possible, the limitations of printing processes make extremely accurate matches impossible. We strongly recommend comparing your choice with actual samples and discussing with your product consultant. Additionally, Dynamic Door Service reserves the right to vary or delete colours without notice.



Custom Collection Aluminium Frame Garage Door in Colorbond® Night Sky® with Dark Grey tinted acrylic inserts



STEP FOUR: SELECT AN OPENER AND HOME ENHANCER

For new products and the most up to date information, please check dynamicds.com.au

OPENERS

| SECTIONAL / ALUMINIUM FRAME / TILT GARAGE DOORS

SD1000 Std



- Max garage door size: 15m²
- Max door weight up to 150kg
- Max peak pulling force: 1000N
- Rolling code technology
- 433.92 MHz transmitter frequency
- Soft start/soft close
- Adjustable operating speed
- Belt drive
- Easy set up & remote coding
- Maintenance alarm
- Reversing system complies with AS/NZS 60335-2-95
- 5 year motor warranty

SD1000 Pro



- Max garage door size: 15m²
- Max door weight up to 150kg
- Max peak pulling force: 1000N
- Rolling code technology
- 433.92 MHz transmitter frequency
- Soft start/soft close
- Adjustable operating speed
- Belt drive
- Easy set up & remote coding
- Maintenance alarm
- Reversing system complies with AS/NZS 60335-2-95
- Built in F-linX Wi-Fi
- Wireless PE Beam compatibility
- Wireless E-Lock compatibility
- E-Door Connect compatibility
- 10 year motor warranty

Multi Drive 1500 Pro



- Max garage door size: 18m²
- Max door weight up to 165kg
- Max peak pulling force: 1500N
- Rolling code technology
- 433.92 MHz transmitter frequency
- Soft start/soft close
- Adjustable operating speed
- Side mounted installation as standard
- For ceiling/rail mounted option, belt drive adapter and rail sold separately
- Easy set up & remote coding
- Maintenance alarm
- Reversing system complies with AS/NZS 60335-2-95
- Built in F-linX Wi-Fi
- Wireless PE Beam and wireless E-Lock included
- 10 year motor warranty

| **Merlin** SECTIONAL / ALUMINIUM FRAME / TILT GARAGE DOORS

Commander Elite



- Max garage door size: 20m²
- Max door weight: 150Kg
- Max peak pulling force: 1000N
- 2 x premium remotes, 1 x two button wireless wall transmitter
- MYQ compatible
- 7 year warranty

Commander Extreme



- Max garage door size: 20m²
- Max door weight: 150/286Kg *
- Max peak pulling force: 1200N
- 2 x premium remotes, 1 x two button wireless wall transmitter
- MYQ compatible
- 7 year warranty

Note: *When IR beams are installed.

Commander Ultimate



- Max garage door size: 16.5m²
- Max door weight: 280Kg
- Max peak pulling force: 600N
- 2 x premium remotes, MYQ remote LED light, safety IR beams, smart control panel, automatic door lock, cable extension motor, integrated battery backup
- MYQ compatible
- 7 year warranty

NOTE: # Not suitable for Tilt Doors.

| ROLLER DOORS

RD1000 Std



- Max garage door size: 20m²
- Max peak pulling force: 1000N
- Max door curtain weight: 130kg
- Rolling code technology
- 433.92 MHz transmitter frequency
- Electrical Input: 240V, 50Hz
- Courtesy LED light included
- Manual disengagement system
- Electronic limit system
- Reversing system complies with AS/NZS 60335-2-95
- 5 year motor warranty

RD1000 Pro



- Max garage door size: 20m²
- Max peak pulling force: 1000N
- Max door curtain weight: 130kg
- Rolling code technology
- 433.92 MHz transmitter frequency
- Built in F-linX Wi-Fi
- Electrical Input: 240V, 50Hz
- Courtesy LED light included
- Manual disengagement system
- Electronic limit system
- Reversing system complies with AS/NZS 60335-2-95
- Wireless PE Beam compatibility
- 7 year motor warranty

RD1500 Pro



- Max garage door size: 28m²
- Max peak pulling force: 1500N
- Max door curtain weight: 270kg
- Rolling code technology
- 433.92 MHz transmitter frequency
- Built in F-linX Wi-Fi
- Electrical Input: 240V, 50Hz
- Courtesy LED light included
- Manual disengagement system
- Electronic limit system
- Reversing system complies with AS/NZS 60335-2-95
- Wireless PE Beam compatibility
- 3 year / 15,000 cycles motor warranty

| Merlin® ROLLER DOOR

WeatherDrive



- Max garage door size: 15m²
- Max door weight: 100Kg
- Max peak pulling force: 500N
- 2 x premium remote controls, 1 x wireless wall transmitter, 1 x weight bar
- Weather resistant (IP34 rated housing)
- 3 year warranty

SilentDrive Essential



- Max garage door size: 16.5m²
- Max door weight: 100Kg
- Max peak pulling force: 500N
- 2 x premium remotes, 1 x two button wireless wall transmitter, 1 x weight bar
- 5 year warranty

SilentDrive Elite



- Max garage door size: 18m²
- Max door weight: 120Kg
- Max peak pulling force: 550N
- 2 x premium remotes, 1 x two button wireless wall transmitter, 1 x weight bar
- 7 year warranty

Grifco LR Drive



- Max garage door size: 28m² / wind locked 22m²
- Max door weight: 270Kg
- Max peak pulling force: 1300N
- 1 x battery backup unit, 2 x E960G 4 channel keyring transmitters, 1 x E138G wireless wall transmitter
- 2 year, 10000 cycle warranty

HOME ENHANCERS

PE Beams



The PE Beam allows the garage door to automatically reverse when its sensory light beam is broken by an obstruction, helping to protect your family from injury and your car from damage caused by contact.

Available as wireless on all Pro models and wired on all Std models.

E-Lock



The E-Lock enables remote control and status monitoring. When the door is completely closed, the E-Lock automatically locks your garage door.

Available as wireless on all Sectional Pro models and wired on all Sectional Std models.

F-linX Wi-Fi



Control your door from anywhere in the world. Simply connect your Wi-Fi, download the app on your phone and you can check the status of your door, check what percentage it is open and have full control of its operation.

E-Door Connect



The Smarter Garage Door Controller. Unlimited connectivity anywhere and anytime, the E-Door Connect opens up a whole new experience for convenience, safety and accessibility for everyone.

Compatible with the SD1000 Pro, RD1000 Pro and RD1500 Pro.

Brush Seal



A tough and durable Brush Seal can help better protect your garage from the elements and satisfies the "Construction of buildings in bushfire prone areas" standard AS3959:2018 for protecting against fire embers entering the garage.

Additional Handsets



Key Ring Remote transmitters are small and convenient with the ability to operate up to four doors from one unit.

A must have for every set of keys in the house.

Emergency Key Release



Used in case of malfunction or power failure, especially useful if there is no other access to the garage.

Battery Backup



A Battery Backup provides an energy supply in the event of a power outage, allowing you to continue operating your garage door.

Smart Camera



With 3K HD colour resolution, dual-band Wi-Fi, cloud storage, motion detection, night vision and two way audio with built in speaker and microphone, you can monitor your garage from anywhere in the world for free. Recommended for internal use only. Available as wired only.

Coastal Upgrade Pack



Sectional Door Upgrade Pack includes Brush Seals, Powdercoated tracks and brackets and stainless steel cables.

Roller Door Upgrade Pack includes Brush Seals, AA Aluminium tracks with the no lock option.


The Coastal Upgrade Packs for both Sectional Doors and Roller Doors are recommended for all doors that are located within 5 kilometres from the sea to offer enhanced protection against the elements.

Wireless Keypad



The Wireless Keypad can be programmed with multiple, unique user codes. It is perfect for the family, tradespeople, or going for a walk. This means you can leave your keys at home with peace of mind.

Insulation



A Mammoth® Insulated Garage Door not only maintains warmth during winter and keeps things cool in summer, but also reduces your energy expenses. For optimal performance we recommend adding brush seals.

Available on standard Sectional Garage Doors.

Wireless &

Garage Door E-Lock

- **Easy to Install:** Optional wireless* design means no messy wiring.
- **Remote Control:** Open, close and lock your garage door with the push of a button.
- **Quick & Convenient:** Save time every day with simple, one-touch operation.

*Available as wireless on all Sectional Pro openers and wired on all Sectional Std openers.



Photo Electric Safety PE Beams

- **Smart Detection:** Uses invisible infrared sensors to detect movement in the garage doorway.
- **Automatic Response:** Sends a signal to stop or reverse the door if something crosses the beam.
- **Peace of Mind:** Helps protect cars, bikes, pets and children while the door is closing.

*Available as wireless on all Pro openers and wired on all Std openers.

Automatic



Defy the odds...



**show them
what's possible.**

Our story.

The background of the slide features a warm, orange-hued sunset or sunrise sky. In the foreground, the silhouettes of construction workers are visible. A large worker in a hard hat stands on the right, gesturing with his hand. To his left, another worker is bent over, and further back, a third worker is visible. The scene is set against a backdrop of a construction site with cranes and structures.

"We were the ones that showed them it was possible." - Michael



DEFY THE ODDS

From humble beginnings, Dynamic Door Service has become the leading supplier of garage doors to the Australian builder market. Dynamic's success has come from the ability to seize opportunity and follow through on their commitments each and every time.

In 2009, Brisbane based founder Michael Vidler saw a gap in the garage door market. The industry "norm" to get a garage door ordered and installed was two to three weeks... this is the way it had always been done.

Mick knew that in an industry full of furious deadlines, this lead time put additional and unnecessary pressure on builders and set about disrupting the status quo, initially as a one-man band approaching builders at building sites.

The Dynamic solution was to provide a mechanism to consistently deliver the shortest lead times in the industry, guaranteed installation dates and, after some initial trial and error, to partner with Steel-Line Garage Doors to supply the best product on the market.

Whilst skeptical, a handful of small builders gave Mick an opportunity to prove his solution would work. Mick was a man of his word... he built an expert, energetic and passionate team who at their very core made sure they delivered on their commitments, time after time, year after year. It wasn't long before some of the major builders in Australia took notice, then some more, and the rest is history.

The Dynamic team are driven by opportunity with an energy that creates a new standard of reliability.

DYNAMIC™ DOOR SERVICE

1300 645 056

sales@dynamicds.com.au

**QLD Office and National
Administration**

36 Redcliffe Gardens Drive,
Clontarf 4019

VIC Office

116 Barry Road,
Campbellfield VIC 3061

SA Office (ask for Dynamic)

65 Langford St,
Pooraka SA 5095

NSW Office

17 Bluett Drive,
Smeaton Grange NSW 2567

Newcastle Office

5 Pambalong Drive,
Mayfield West NSW 2304



dynamicds.com.au

DEFY
THE ODDS

Garage Doors | Openers | Service

QBCC lic. 1062927 | CBS Builder lic. 273837